

# Medicine Authorization Form

**\* Must provide a copy of current doctor's immunization records**

Child's Name: \_\_\_\_\_ DOB: \_\_\_/\_\_\_/\_\_\_ Age: \_\_\_\_\_

Name of Parent or Legal Guardian: \_\_\_\_\_

Home Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Telephone: (\_\_\_\_\_) \_\_\_\_\_ Email: \_\_\_\_\_

## Medical Summary

List any diagnosis or health concern (asthma, diabetes, chronic illness, seizures, etc.): \_\_\_\_\_

If your child does suffer from asthma, diabetes or other any chronic illness, you will be required to fill out a Medical Action Plan.

Has the child ever had a severe reaction to anything (penicillin, bee stings, etc.)? \_\_\_\_\_

Please list all of the child's severe food allergies: \_\_\_\_\_

If, yes, please explain including whether the child needs an Epi-pen at school. \_\_\_\_\_

List any current or prescribed medications and dosages: \_\_\_\_\_

List any past hospitalizations, surgeries or injuries (ear infections, placement of tubes, tonsillectomies, etc.): \_\_\_\_\_

Please list any family medical history that might be important for the school to know: \_\_\_\_\_

List any speech/ language or motor development concerns that you or the parents have: \_\_\_\_\_

Other Comments: \_\_\_\_\_

Parent Signature: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_





# Medicine Authorization (Continued)

**\* Must provide a copy of current doctor's immunization records**

## Medical Summary (to be filled out by your pediatrician)

Please check if abnormal and comment:

___ Skin:_____		___ Mouth & Dental:_____
___ Eyes:_____		___ Ears:_____
___ Lymphatic:_____		___ Orthopedic:_____
___ Genitalia Hernia:_____		___ Abdomen:_____
___ Chest:_____		___ Heart:_____

Significant findings and physician's recommendations to parents and teachers:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Other Comments:\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Recommendations for Physical Education:\_\_\_\_\_ Full Program \_\_\_\_\_ Restricted  
If marked *Restricted*, please explain:\_\_\_\_\_

\_\_\_\_\_

**Doctor's Signature:**\_\_\_\_\_ **M.D. Date:**\_\_\_/\_\_\_/\_\_\_

Please mail in completed Medical Authorization and Current Immunization Records to:

**Bambini Creativi**  
400 East 135th Street  
Kansas City, MO 64145  
Email to: [brianne@bambinicreativi.com](mailto:brianne@bambinicreativi.com)  
Phone: (816) 941. 7529 or (PLAY)

# Asthma & Allergy Action Plan

Name: \_\_\_\_\_ D.O.B.: \_\_\_\_\_

Allergy to: \_\_\_\_\_

Weight: \_\_\_\_\_ lbs.

**Asthma:**  Yes (higher risk for a severe reaction)  No








**For a suspected or active food allergy reaction:**

**PROGRAM SCHEDULE:**

**M T W TH F HALF OR FULL**

FOR ANY OF THE FOLLOWING  
**SEVERE SYMPTOMS**

If checked, give epinephrine immediately if the allergen was definitely eaten, even if there are no symptoms.

 <b>LUNG</b> Short of breath, wheezing, repetitive cough	 <b>HEART</b> Pale, blue, faint, weak pulse, dizzy	 <b>THROAT</b> Tight, hoarse, trouble breathing/ swallowing	 <b>MOUTH</b> Significant swelling of the tongue and/or lips
 <b>SKIN</b> Many hives over body, widespread redness	 <b>GUT</b> Repetitive vomiting or severe diarrhea	 <b>OTHER</b> Feeling something bad is about to happen, anxiety, confusion	<b>OR A COMBINATION</b> of mild or severe symptoms from different body areas.





**NOTE:** Do not depend on antihistamines or inhalers (bronchodilators) to treat a severe reaction. **Use Epinephrine.**

1. **INJECT EPINEPHRINE IMMEDIATELY.**
2. **Call 911.** Request ambulance with epinephrine.
  - Consider giving additional medications (following or with the epinephrine):
    - » Antihistamine
    - » Inhaler (bronchodilator) if asthma
  - Lay the student flat and raise legs. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
  - If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
  - Alert emergency contacts.
  - Transport student to ER even if symptoms resolve. Student should remain in ER for 4+ hours because symptoms may return.

**NOTE: WHEN IN DOUBT, GIVE EPINEPHRINE.**

## MILD SYMPTOMS

If checked, give epinephrine immediately for ANY symptoms if the allergen was likely eaten.

 <b>NOSE</b> Itchy/runny nose, sneezing	 <b>MOUTH</b> Itchy mouth
 <b>SKIN</b> A few hives, mild itch	 <b>GUT</b> Mild nausea/discomfort

↓ ↓ ↓

1. **GIVE ANTIHISTAMINES, IF ORDERED BY PHYSICIAN**
2. Stay with student; alert emergency contacts.
3. Watch student closely for changes. If symptoms worsen, **GIVE EPINEPHRINE.**

### MEDICATIONS/DOSES

Epinephrine Brand: \_\_\_\_\_

Epinephrine Dose:  0.15 mg IM  0.3 mg IM

Antihistamine Brand or Generic: \_\_\_\_\_

Antihistamine Dose: \_\_\_\_\_

Other (e.g., inhaler-bronchodilator if asthmatic): \_\_\_\_\_

EMERGENCY CONTACT #1 NAME: \_\_\_\_\_ RELATIONSHIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

EMERGENCY CONTACT #2 NAME: \_\_\_\_\_ RELATIONSHIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARENT/GUARDIAN AUTHORIZATION SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_ PHYSICIAN/HCP AUTHORIZATION SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

FORM PROVIDED COURTESY OF FOOD ALLERGY RESEARCH & EDUCATION (FARE) (WWW.FOODALLERGY.ORG) 8/2013